



Licensed Program Specifications

Reqtify® 2010-1, ControlBuild® 2010-3, AUTOSAR Builder® 2010-2

Reqtify

Reqtify is an interactive requirement traceability and impact analysis tool which can trace requirements from system, program and project levels to all levels of your software or hardware component development lifecycle. Reqtify can interface to requirement-related information in a wide variety of data formats, document types and file formats.

Products

RQS Reqtify – Standard Version
RQD Reqtify – Developer Option
RQT Reqtify – Test Option
RQG Reqtify – Tagger Option
RQV Reqtify – Reviewer Option
RQR Reqtify – RIF Option

ControlBuild

ControlBuild is an innovative environment for designing and validating distributed control and monitoring systems as well as software applications. Based on a model-driven approach meets the needs of creating distributed automation for control and monitoring for the trains and metro industries, Shipbuilder, energy producers, process engineering (for example, water treatment), and various types of companies (such as construction, building, and automation firms).

Products

CBG ControlBuild Design
CBV ControlBuild Validation
CBC ControlBuild and PLC Code Generation
CBM ControlBuild and Embedded Code Generation

AUTOSAR Builder

AUTOSAR Builder is an open standard created by the automotive industry to ensure that the software it creates can be reused and standardized independent of the semiconductors and the topologies of the implementation. AUTOSAR Builder is a complete AUTOSAR toolchain, beginning with Authoring, followed by ECU extract, RTE generation, and simulation. It is suitable for system and ECU design. It also enables the user to import a model-based design legacy description and to generate AUTOSAR compliant C code, ready to be embedded on target ECUs.

Products

ASB AUTOSAR Builder
ASN AUTOSAR Builder Token

AUTOSAR Builder Token-Based Options

Authoring Tool (AAT)
Simulink Importer
AUTOSAR Rework Tool (ART)
Authoring Tool Assistant (ATA)
SWC Conformance Validation Tool (SCVT)
ECU EXtract (EEX)
Generic Configuration Editor (GCE)
Generic Configuration Assistance (GCA)
Configuration Code Generation (CCG)
AUTOSAR Simulation (ASIM)
RTE Generator (RTEG)

Hardware/Software Requirements

Reqtify

The minimal size requirements are as follows:

Windows

- Approximately 150MByte available hard-disk space.
- 512 MByte RAM and 8 MByte VRAM.
- High color (16-bit or 65536 colors) at resolution 1024x768 or 1280x1024.

HP-UX

- Approximately 150MByte available hard-disk space.

- 512 MByte RAM and 8 MByte VRAM.
- High color (16-bit or 65536 colors) at resolution 1024x768 or 1280x1024.

Reqtify is supported on the following platforms:

- Sun Solaris 8, 9 and 10
- Windows 2000/XP/VISTA

ControlBuild

The minimal size requirements are as follows:

- PC 1.8 GHz Pentium
- Memory : 512 Mb
- Windows 2000 or later
- Disk space : 250 Mb free

The recommended size requirements are as follows:

- PC 2.8 GHz Pentium
- Memory: 2 Gb
- Windows XP Professional
- Disk space : 500 Mb free

ControlBuild is supported on the following platforms:

- Windows 2000/XP/VISTA

AUTOSAR Builder

The minimal size requirements are as follows:

- Approximately 600MByte available hard-disk space.
- 1 GByte RAM(*)

(*) When working with large AUTOSAR models, it is recommended that you allow more memory to enhance tool performance, at least 2 GB of physical memory

AUTOSAR Builder is supported on the following platforms:

- Windows 2000, XP and VISTA (32 & 64 bits).
-

Licensed Program Materials Availability

- Restricted materials - No. This licensed program is available without source licensed program materials. It is available in object code only.
-

Supplemental Terms

Type/Duration of Program Services(also referred to as “Support Services”)

You will find all necessary information including processes, on Dassault Systèmes website :

<http://www.3ds.com/terms/support-policies>

The License Management Model

The following license types are available as such terms are defined at <http://www.3ds.com/terms/glossary>:

- Machine Based_(node-lock)
- Concurrent Based_(floating)
- Token Based (the number of tokens required per Licensed Program is described in the Product Portfolio available at <http://www.3ds.com/terms/product-portfolio>)

Token Based and Concurrent Based licensing may be licensed for Single Site or Multi-Site usage. Subject *inter alia* to the Export and Re-export laws and regulations provision of the Agreement and applicable provisions governing the above licensing structures:

- **A Single Site License** authorizes the Licensee to install and use the Licensed Program to which this LPS applies only on Machines within Licensee’s Site and in the country for which the license is ordered. The term Licensee’s Site means the specific physical address of Licensee’s own facility that may consist of one or more buildings within a radius of one kilometer of where the Licensed Software is first installed and put into use.

- **A Multi Site License** authorizes the Licensee to install and use the Licensed Program to which this LPS applies on Machines in several facilities of the Licensee located in the same geographic region only (i.e. APAC or EMEA or Americas).

Users and/or Named Users if applicable, whose usual workplace is located in the same country as the country where such use of the Licensed Program has been authorized, may use the Licensed Program in any other country (subject *inter alia* to the Export and Re-export laws and regulations provision of the Agreement) for purposes of a business trip of a maximum of thirty (30) consecutive days.

Separately Licensed Code

Whenever distributed, the following packages are distributed and licensed under the terms of the GNU General Public License (or under the MIT license for some portions of the Cygwin tool) set forth in the documentation of the relevant ControlBuild and/or AUTOSAR Builder products. Source code for these packages is available upon request.

Cygwin™ 2.0 beta (Portions, see <http://cygwin.com/license.html>)
Mingw (Portions, see <http://www.mingw.org/license>)

Supplemental Terms for AUTOSAR Builder

AUTOSAR Builder contains Eclipse components and Artop (AUTOSAR Tool Platform). The contributors of these packages disclaim any and all warranties and may not be held liable for damages arising from the use of such packages. The source code of these packages is available upon request.

Designated Machine Identification

No

Test Period

No

Use-Based Charges/Usage Restrictions

Charges for this program are based on the number of users logged on at any time. The total number of users logged on may not exceed the number for which you have been authorized. If the total number exceeds your authorization, you must notify Dassault Systèmes and obtain additional authorizations.

Softcopy Publications

The program that Dassault Systèmes licenses may include licensed publications in displayable or source form. Except as provided in this section, the terms and conditions of the license agreement with Dassault Systèmes apply to these publications and to any copies that are made from them.

The licensed publications may be used in displayable or source form on all machines designated for this program. The licensed publications may also be copied and used on other machines in support of authorized use of this program.

To support authorized use of the Program, printed copies of the displayable or source material may be made if the copyright notice and any other legend of ownership is reproduced on each copy or partial copy. ¹

Warranty

This program is warranted as specified in the Dassault Systèmes license.

Licensed Program Specifications may be updated from time to time and such updates may constitute a change in specifications.

Following the discontinuance of all program services, this program will be provided "As Is" as specified in the Dassault Systèmes license.

Footnotes:

¹

Trademarks

Company, products and services names may be trademarks or service marks of related companies.

Reqtify, ControlBuild and AUTOSAR Builder are registered trademarks of Dassault Systèmes or its subsidiaries in the USA and/or other countries.



References in this publication to Dassault Systèmes products, programs or services do not imply that Dassault Systèmes intends to make these available in all countries in which Dassault Systèmes operates.

Any other documentation with respect to this licensed program, including any documentation referenced herein, is provided for reference purposes only and does not extend or modify these specifications.

December 2010